



RoHS
compliant




SPECIFICATION
ELECTRICAL CHARACTERISTIC:
1. FINISHED CABLE 100% CONDUCTIVITY TEST
2. CHARACTERISTIC IMPEDANCE: 50 Ω















ENVIRONMENTAL CHARACTERISTIC:
1. OPERATING TEMPERATURE RANGE: -40°C TO +105°C


4	HST	HEAT SHRINK TUBE ID: 5.0mm, BLACK	A/R
3	CABLE	RTK-031: 22AWG COAXIAL+AL-MYLAR+BRAID ID: 3.3±0.2, JACKET: PVC, BLACK	1
2	FAKRA PLUG	TEFLON, 1u" AU	1
1	FAKRA JACK	THERMOPLASTIC UL94V-0, 30u" AU	1
ITEM	DESCRIPTION	MATERIAL	Q'TY

C6	E	ECN-2401001(CRYSTAL)ADD NEW P/N 1410503003Z	02JAN2024
B6	D	ECN-2311007(QUEEN)ADD NEW P/N 1410503001E	08NOV2023
	C	ECN-2308034(JOLIN)NEW P/N	14AUG2023
ZONE	REVISION	DESCRIPTION	DATE

A	5	1410503003Z	C7S23ZZ3A02SE4M5	4500±50mm	W/ COXOC LOGO	Z/Z	
	4	1410503002Z	C7S23ZZ3A02E1M0	1000±30mm	W/O LOGO	Z/Z	
	A	3	1410503001E	C7S23EE3A02E635	635±30mm	W/O LOGO	E/E
		2	1410503001H	C7S23HH3A02E635	635±30mm	W/O LOGO	H/H
		1	1410503001C	C7S23CC3A02E635	635±30mm	W/O LOGO	C/C
ITEM	NEW P/N		OLD P/N	L (LENGTH)	LOGO	CODING TYPE	
UNLESS OTHERWISE SPECIFIED TOLERANCE			 SIP	 CHANT SINCERE CO.,LTD			
ANG. ±5°			 Cmk				
0. ±0.50			Cpk				
0. ±0.30							
.00 ±0.20							
SCALE: 2:1			UNIT: mm				
DRAWN: BENSON_ZHENG			01 Feb 2024	TITLE: PDR-21004			
CHECKED: PEARL_HUNG			01 Feb 2024	FAKRA JACK TO FAKRA PLUG CABLE (RTK-031)			
APPROVED: PEARL_HUNG			01 Feb 2024	PART NO. 1410503XXXX			
	SIZE A4	SHEET 1/4	REV. E	CODE: GC		CUSTOMER:	












FAKRA JACK


A	B	C	D	E	F	G
JET BLACK SIMILAR RAL 9005	CREAM WHITE SIMILAR RAL 9001	SIGNAL BLUE SIMILAR RAL 5005	CLARET VIOLET SIMILAR RAL 4004	LEAF GREEN SIMILAR RAL 6002	NUT BROWN SIMILAR RAL 8011	BLUE GRAY SIMILAR RAL 7031
						
H	I	K	L	M	N	Z
HEATHER VIOLET SIMILAR RAL 4003	BEIGE SIMILAR RAL 1001	CURRY SIMILAR RAL 1027	CARMINE RED SIMILAR RAL 3002	PASTEL ORANGE SIMILAR RAL 2003	PASTEL GREEN SIMILAR RAL 6019	WATER BLUE SIMILAR RAL 5021
						

UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD	
ANG.	±5°	 Cmk		
0	±0.50	Cpk		
.0	±0.30			
.00	±0.20			
SCALE: 2:1		UNIT: mm		
DRAWN: BENSON_ZHENG		01 Feb 2024		TITLE: PDR-21004
CHECKED: PEARL_HUNG		01 Feb 2024		FAKRA JACK TO FAKRA PLUG CABLE (RTK-031)
APPROVED: PEARL_HUNG		01 Feb 2024		PART NO. 1410503XXXX
	SIZE A4	SHEET 2/4	REV. E	CODE: GC
				CUSTOMER:

	E	ECN-2401001(CRYSTAL)SEE PAGE 1/4	02JAN2024
	D	ECN-2311007(QUEEN)SEE PAGE 1/4	08NOV2023
	C	ECN-2308034(JOLIN)SEE PAGE 1/4	14AUG2023
ZONE	REVISION	DESCRIPTION	DATE


FAKRA PLUG

A	B	C	D	E	F	G
JET BLACK SIMILAR RAL 9005	CREAM WHITE SIMILAR RAL 9001	SIGNAL BLUE SIMILAR RAL 5005	CLARET VIOLET SIMILAR RAL 4004	LEAF GREEN SIMILAR RAL 6002	NUT BROWN SIMILAR RAL 8011	BLUE GRAY SIMILAR RAL 7031
						
H	I	K	L	M	N	Z
HEATHER VIOLET SIMILAR RAL 4003	BEIGE SIMILAR RAL 1001	CURRY SIMILAR RAL 1027	CARMINE RED SIMILAR RAL 3002	PASTEL ORANGE SIMILAR RAL 2003	PASTEL GREEN SIMILAR RAL 6019	WATER BLUE SIMILAR RAL 5021
						


UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD	
ANG.	±5°	 Cmk		
0.00	±0.50 ±0.30 ±0.20	Cpk		
SCALE: 2:1		UNIT: mm		
DRAWN: BENSON_ZHENG		01 Feb 2024		TITLE: PDR-21004
CHECKED: PEARL_HUNG		01 Feb 2024		FAKRA JACK TO FAKRA PLUG CABLE (RTK-031)
APPROVED: PEARL_HUNG		01 Feb 2024		PART NO. 1410503XXXX
	SIZE A4	SHEET 3/4	REV. E	CODE: GC
				CUSTOMER:

	E	ECN-2401001(CRYSTAL)SEE PAGE 1/4	02JAN2024
	D	ECN-2311007(QUEEN)SEE PAGE 1/4	08NOV2023
	C	ECN-2308034(JOLIN)SEE PAGE 1/4	14AUG2023
ZONE	REVISION	DESCRIPTION	DATE



RoHS
compliant





FAKRA STRAIGHT JACK CABLE



ZIP BAG:L240mmxW170mm
1PC CABLE/ZIP BAG




CARTON



(裝箱數量依首批實際訂單為主)

包裝說明:

- 單PCS成品繞線後放入夾鍊袋
- 先在紙箱底部放一層隔板, 再套一個防水袋, 將產品整齊擺放至紙箱中, 上面放入乾燥劑, 收攏袋口, 最後上層放一層隔板, 裝好產品後, 防水袋需用透明膠紙封口

UNLESS OTHERWISE SPECIFIED TOLERANCE		SIP		 CHANT SINCERE CO.,LTD	
ANG.	±5°		SIP		
0.	±0.50		CmK	TITLE: PDR-21004 FAKRA JACK TO FAKRA PLUG CABLE (RTK-031)	
.0	±0.30		Cpk		
.00	±0.20			PART NO. 1410503XXXX	
SCALE: AS SHOWN		UNIT: mm		CODE: GC	
DRAWN: BENSON_ZHENG		01 Feb 2024		CUSTOMER:	
CHECKED: PEARL_HUNG		01 Feb 2024			
APPROVED: PEARL_HUNG		01 Feb 2024			
	SIZE A4	SHEET 4/4	REV. E		

ZONE	REVISION	DESCRIPTION	DATE
1	2	3	4
1	E	ECN-2401001(CRYSTAL)SEE PAGE 1/4	02JAN2024
1	D	ECN-2311007(QUEEN)SEE PAGE 1/4	08NOV2023
1	C	ECN-2308034(JOLIN)SEE PAGE 1/4	14AUG2023