




Part no. 249 A E 00 P 0 0 AG 0 X D 3
1 2 3 4 5 6 7 8 9 10 11 12

- 1.SERIES NO.

2.TYPE: A=Standard

3.GREEN OPTION:
E=RoHS

4.CONTACT NUMBER:
09 15 25 37

5.CONTACT TYPE:
P=NON DISTRIBUTION

6.FILL IT WITH "0"

7.FILL IT WITH "0"
- 8.APPLY TYPE:
AG=D-SUB


9.SHELL PLATING:
0=W/O SHELL

10.TYPE:
0=HOOD(W/O LOGO)

11.PACKING STYLE:
D=BAG




12.INSULATOR COLOR:
3=Black

編碼	品名	材質
1	迫緊螺帽	PA66無纖
2	軟膠3	Silicone
3	卡槽螺絲L(4#40牙)	CU
4	線束螺母	PA66無纖
5	軟膠2	Silicone
6	軟膠4	Silicone
7	防水外殼	PC+ABS
8	軟膠1	Silicone

 For SIP
 For cmk/cpk

UNLESS OTHERWISE SPECIFIED TOLERANCE ANG. ±5° 0. ±0.5 .0 ±0.3 .00 ±0.2		 CHANT SINCERE CO.,LTD TEL:886-02-86471251 FAX:886-02-86472962	
SCALE: AS SHOWN	UNIT: mm	DRAWN NAME:	
DRAWN PEARL	09/13/13	D-SUB WATER PROOF HOOD	1/3
CHECKED	/ /	PRODUCT NO.	249AEXXP00AG0XD3
APPROVED	/ /	FILE NAME:	249AEXXP00AG01D3(J01)

REV.	DESCRIPTION	DATE
1		
2		
3		
4		
5		
6		
7		






PIN. NO	A	B	C	D	E
09 PIN	39.10	42.7	21.0	32.9	48.2
15 PIN	39.10	51.1	20.9	32.9	48.2
25 PIN	39.10	64.8	20.9	32.9	48.2
37 PIN	39.10	81.1	20.9	32.6	47.9
50 PIN	39.10	78.9	23.9	32.6	47.9

 For SIP
 For cmk/cpk

UNLESS OTHERWISE SPECIFIED TOLERANCE ANG. ±5° 0. ±0.5 .0 ±0.3 .00 ±0.2		 CHANT SINCERE CO., LTD TEL:886-02-86471251 FAX:886-02-86472962	
SCALE: AS SHOWN	UNIT: mm	DRAWN NAME:	
DRAWN PEARL	09/13/13	D-SUB WATER PROOF HOOD 2/3	
CHECKED	/ /	PRODUCT NO. 249AEXXP00AG0XD3	
APPROVED	/ /	FILE NAME: 249AEXXP00AG01D3(J01)	

REV.	DESCRIPTION	DATE



For SIP



For cmk/cpk

UNLESS OTHERWISE SPECIFIED TOLERANCE		 CHANT SINCERE CO.,LTD TEL:886-02-86471251 FAX:886-02-86472962		
ANG.	±5°			
0.	±0.5			
.0	±0.3			
.00	±0.2			
SCALE: AS SHOWED		UNIT:	mm	DRAWN NAME: D-SUB WATER PROOF HOOD 3/3 PRODUCT NO. 249AEXXP00AG0XD3 FILE NAME: 249AEXXP00AG01D3(J01)
DRAWN	PEARL	09/13/13		
CHECKED	/ /			
APPROVED	/ /			
		SIZE	A4	
		REV.	C	

REV.	DESCRIPTION	DATE
1		
2		
3		
4		
5		
6		
7		