




- 一.
- 1) 將成品一一放入包裝盤內, 依同一方向放入。
 - 2) 包裝時, 如圖所示。
 - 3) 一個包裝盤放置48個成品。



- 二.
- 1) 將放滿成品的包裝盤依同一方向一層層疊好。
 - 2) 如圖所示。
 - 3) 1扎放31個吸塑盒, 最上面一個作為上蓋不放置成品。
 - 4) 每扎1440pcs 產品。



- 三.
- 1) 將1扎產品放置在PE帶內。
 - 2) PE袋內上下面各放一包乾燥劑, 包裝完後裝箱。



- 四.
- 1) 用TAPE將紙箱封實。

PO NO:
ITEM NO:
Q'TY:
PCS
G.W:
KGS


C/NO.:

備 註 (REMARK)
1. 若有未裝滿之零數箱, 必須以緩衝材塞滿。

	G	ECN-2408062(LITING)SEE PAGE 1/3	15AUG2024
	F	EECN-2403113(JOLIN) ADD NEW P/N	01APR2024
	E	ECN-2112091(LITING) 新增PAGE 3/3 包裝圖	30DEC2021
ZONE	REVISION	DESCRIPTION	DATE

UNLESS OTHERWISE SPECIFIED TOLERANCE		SIP		CHANT SINCERE CO.,LTD	
ANG.	±5°	ST	Cmk Cpk		
0.	±0.35	SCALE: AS SHOWN		UNIT: mm	
0.	±0.30	DRAWN: BENSON_ZHENG		16 Aug 2024	
.00	±0.25	CHECKED: PEARL_HUNG		16 Aug 2024	
SCALE: AS SHOWN		UNIT: mm		TITLE: SD 4.0 CONN.(STANDARD)	
DRAWN: BENSON_ZHENG		16 Aug 2024		PART NO. 5730301XXXX	
CHECKED: PEARL_HUNG		16 Aug 2024		CODE: J03	
APPROVED: PEARL_HUNG		16 Aug 2024		CUSTOMER:	
	SIZE A4	SHEET 2/3	REV. G		

RoHS
compliant



PACKING INFORMATION

CARTON SIZE	340x340x310
TRAY TYPE	Ø330x44H
QUANTITY OF PER CARTON	6x300=1800PCS/CARTON
QUANTITY OF PER TRAY	300PCS/REEL
PART NAME	SPECIFICATION

	G	ECN-2408062(LITING)SEE PAGE 1/3	15AUG2024
	F	EECN-2403113(JOLIN) ADD NEW P/N	01APR2024
	E	ECN-2112091(LITING) 新增PAGE 3/3 包裝圖	30DEC2021
ZONE	REVISION	DESCRIPTION	DATE

UNLESS OTHERWISE SPECIFIED TOLERANCE			 SIP	 CHANT SINCERE CO.,LTD
ANG.	±5°	 Cmk Cpk		
0.	±0.35			
.0	±0.30			
.00	±0.25			
SCALE:	AS SHOWN	UNIT:	mm	
DRAWN:	BENSON_ZHENG		16 Aug 2024	TITLE:
CHECKED:	PEARL_HUNG		16 Aug 2024	SD 4.0 CONN.(STANDARD)
APPROVED:	PEARL_HUNG		16 Aug 2024	PART NO.
				5730301XXXX
	SIZE A4	SHEET 3/3	REV. G	CODE: J03
				CUSTOMER: