








SPECIFICATION

MATERIAL AND FINISH:

1. CAGE UP: STAINLESS STEEL, 0.25mm THICKNESS
2. CAGE DOWN: STAINLESS STEEL, 0.25mm THICKNESS
3. PARTITION: STAINLESS STEEL, 0.25mm THICKNESS
4. EMI SPRING: STAINLESS STEEL, 0.06mm THICKNESS


SURFACE FINISH:

1. CAGE UP: CLEANING
2. CAGE DOWN: CLEANING
3. PARTITION: CLEANING
4. EMI SPRING: CLEANING

MATE WITH OSFP MSA COMPATIBLE TRANSCEIVER








REFERENCE DOCUMENTS:


1. OSFP MSA SPECIFIC FOR OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE



2				
1	59157020010	902GEA2P00C910A0	NO PLATING/THROUGH BEZEL	
ITEM	NEW P/N	OLD P/N	SHELL PLATING/TYPE	NOTE
UNLESS OTHERWISE SPECIFIED TOLERANCE			SIP Cmk Cpk	 CHANT SINCERE CO.,LTD
3 PLACE	±0.1			
3 PLACE	±0.2			
3 PLACE	±0.3			
ANGLES	X°±2°			
SCALE:	AS SHOWN	UNIT:	mm	
DRAWN:	XINGRU_LAI	22 Dec 2023	TITLE:	
CHECKED:	PEARL_HUNG	28 Dec 2023	OSFP 1x2 CAGE ASSEMBLY	
APPROVED:	PEARL_HUNG	28 Dec 2023	PART NO.	59157020010
	SIZE A4	SHEET 1/5	REV. A	CUSTOMER:



	A	ECN-2312050(JOLIN)NEW P/N	14DEC2023
	X1	ECR-2203023(MIN_HUNG)	09MAR2022
ZONE	REVISION	DESCRIPTION	DATE
1	2	3	4
5	6	7	8
9	10		





UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD
3 PLACE ±0.1		 Cmk Cpk	
3 PLACE ±0.2			
3 PLACE ±0.3			
ANGLES X°±2°			
SCALE: AS SHOWN		UNIT: mm	
DRAWN: XINGRU_LAI		22 Dec 2023	TITLE: OSFP 1x2 CAGE ASSEMBLY
CHECKED: PEARL_HUNG		28 Dec 2023	
APPROVED: PEARL_HUNG		28 Dec 2023	PART NO. 59157020010
	SIZE A4	SHEET 2/5	REV. A
7		8	9
			10

	A	ECN-2312050(JOLIN)NEW P/N		14DEC2023	
	X1	ECR-2203023(MIN_HUNG)		09MAR2022	
ZONE	REVISION	DESCRIPTION	DATE		
1	2	3	4	5	6

BEZEL AND BOARD POSITION DIMENSION FOR SINGLE SIDE MOUNTING




BEZEL AND BOARD POSITION DIMENSION FOR BELLY TO BELLY MOUNTING






NOTES:

1. THE NORMAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD.(DIM. "F")
SINGLE SIDED PC BOARD THICKNESS: 1.60mm MIN.
BELLY TO BELLY PC BOARD MIN. THICKNESS: 3.0mm MIN.
2. GENERAL DIMENSIONAL TOLERANCE $\pm 0.05\text{mm}$

UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD	
3 PLACE ±0.1		 Cmk Cpk		
3 PLACE ±0.2				
3 PLACE ±0.3				
ANGLES X°±2°				
SCALE:	AS SHOWN	UNIT: mm		
DRAWN:	XINGRU_LAI	22 Dec 2023	TITLE: OSFP 1x2 CAGE ASSEMBLY	
CHECKED:	PEARL_HUNG	28 Dec 2023		
APPROVED: PEARL_HUNG		28 Dec 2023	PART NO. 59157020010	
	SIZE A4	SHEET 3/5	REV. A	
7		8	9	10

	A	ECN-2312050(JOLIN)NEW P/N		14DEC2023	
	X1	ECR-2203023(MIN_HUNG)		09MAR2022	
ZONE	REVISION	DESCRIPTION	DATE		
1	2	3	4	5	6



UNLESS OTHERWISE SPECIFIED TOLERANCE 3 PLACE ±0.1 3 PLACE ±0.2 3 PLACE ±0.3 ANGELS X°±2°		 SIP  Cmk Cpk		 CHANT SINCERE CO.,LTD	
SCALE: AS SHOWN		UNIT: mm			
DRAWN: XINGRU_LAI		22 Dec 2023		TITLE: OSFP 1x2 CAGE ASSEMBLY	
CHECKED: PEARL_HUNG		28 Dec 2023			
APPROVED: PEARL_HUNG		28 Dec 2023		PART NO. 59157020010	
	SIZE A4	SHEET 4/5	REV. A	CODE: X8	CUSTOMER:
7			8	9	10

G

F

E

D

C

B

A

G

F




E

D

C

B

A



UNLESS OTHERWISE SPECIFIED TOLERANCE		SIP Cmk Cpk	 CHANT SINCERE CO., LTD
3 PLACE	±0.1		
3 PLACE	±0.2		
3 PLACE	±0.3		
ANGLES	X°±2°		
SCALE:	AS SHOWN	UNIT:	mm
DRAWN:	XINGRU_LAI	22 Dec 2023	TITLE:
CHECKED:	PEARL_HUNG	28 Dec 2023	OSFP 1x2 CAGE ASSEMBLY
APPROVED:	PEARL_HUNG	28 Dec 2023	PART NO.
SIZE A4		REV.	A
SHEET 5/5		CODE:	X8
		CUSTOMER:	

	A	ECN-2312050(JOLIN)NEW P/N	14DEC2023
	X1	ECR-2203023(MIN_HUNG)	09MAR2022
ZONE	REVISION	DESCRIPTION	DATE
1	2	3	4
5	6	7	8
9	10		