




RoHS
compliant



SPECIFICATION

ELECTRICAL CHARACTERISTIC:

1. FINISHED CABLE 100% CONDUCTIVITY TEST
2. CHARACTERISTIC IMPEDANCE: 50 Ω


ENVIRONMENTAL CHARACTERISTIC:

1. OPERATING TEMPERATURE RANGE: -40°C TO +105°C

3	HST	HEAT SHRINK TUBE, ID: 8.0mm, BLACK	2
2	MINI FAKRA	THERMOPLASTIC UL94V-0, 30u" AU	2
1	CABLE	031 CABLE: COAXIAL+AL+BRAID, ID: 3.2mm, 50Ω, BLACK	4
ITEM	DESCRIPTION	MATERIAL	Q'TY


	C	ECN-2311021(TINA)ADD P/N FOR 2M	09NOV2023
	B	ECN-2308041(JOLIN)NEW P/N	16AUG2023
	A	ECN-2210005(VICKY)X3 CHANGE TO A	04OCT2022
ZONE	REVISION	DESCRIPTION	DATE

2	1424104002Z	C7S4BZZ3A01E2M0	2000±50mm	W/O LOGO	Z/Z		
1	1424104001Z	C7S4BZZ3A01E1M0	1000±30mm	W/O LOGO	Z/Z		
ITEM	NEW P/N	OLD P/N	L (LENGTH)	LOGO	CODING TYPE		
UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD				
ANG. ±5°		 CmK					
0. ±0.50		Cpk					
0. ±0.30							
.00 ±0.20							
SCALE: 1:1		UNIT: mm					
DRAWN: PEARL_HUNG		09 Nov 2023				TITLE: PDR-20032	
CHECKED: RITA_CHANG		21 Nov 2023				MINI FAKRA B TYPE JACK TO MINI FAKRA B TYPE	
APPROVED: RITA_CHANG		21 Nov 2023				JACK_031 CABLE	
PART NO.		1424104XXXX				C	
CODE: GC		CUSTOMER:					
7		8				9	
10		11		12			




MINI FAKRA

A	B	C	D	E	F	Z
JET BLACK SIM. 9005	PURE WHITE SIM. 9010	LIGHT BLUE SIM. 5012	CLARET VIOLET SIM. 4004	MAY GREEN SIM. 6017	NUT BROWN SIM. 8011	WATER BLUE SIM. 5021

UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP		 CHANT SINCERE CO.,LTD		
ANG.	±5°	 CmK Cpk				
0.	±0.50	SCALE: 2:1				
0.	±0.30					
.00	±0.20					
UNIT: mm		TITLE: PDR-20032		MINI FAKRA B TYPE JACK TO MINI FAKRA B TYPE JACK_031 CABLE		
DRAWN: PEARL_HUNG		09 Nov 2023				
CHECKED: RITA_CHANG		21 Nov 2023		PART NO. 1424104XXXX		C
APPROVED: RITA_CHANG		21 Nov 2023				
	SIZE A4	SHEET 2/3	REV. C	CODE: GC	CUSTOMER:	
7		8		9		10

	C	ECN-2311021(TINA)SEE PAGE 1/3	09NOV2023
	B	ECN-2308041(JOLIN)SEE PAGE 1/3	16AUG2023
	A	ECN-2210005(VICKY)X3 CHANGE TO A	04OCT2022
ZONE	REVISION	DESCRIPTION	DATE

RoHS
compliant




CABLE

LENGTH	L
1M/3M	130±10mm
12M	210±10mm



+




240(L)x170(W) ZIP BAG FOR 1M/3M5
340(L)x240(W) ZIP BAG FOR 12M



1PC/ZIP BAG





(AFTER THE INSTALLED PRODUCT, CARTON SEALING TAPE SHOULD BE TRANSPARENT)



1M(100PCS/CARTON)
3M/12M(裝箱數量依首批訂單為主)

5	DESICCANT	M90000EZ0000029	2g	5 PCS/CARTON	
4	WATERPROOF	M9BE71163507009	28"x25"x0.07mm	1 PC/CARTON	
3	CARDBOARD(B3B)	M9EE330330000300	330x330mm	2 PCS/CARTON	
2	CARTON	M9CE406330165500	16"x13"x6.5"	1 PC/CARTON	
1	ZIP BAG FOR 1M/3M	MQR1000NB10A0850	240(L)x170(W) mm	A/R	
	ZIP BAG FOR 12M	MQR1000NB10A0810	340(L)x240(W)mm	A/R	
ITEM	DESCRIPTION	PART NUMBER	SPECIFICATION	AMOUNT	NOTE

	C	ECN-2311021(TINA)SEE PAGE 1/3	09NOV2023
	B	ECN-2308041(JOLIN)SEE PAGE 1/3	16AUG2023
	A	ECN-2210005(VICKY)X3 CHANGE TO A	04OCT2022
ZONE	REVISION	DESCRIPTION	DATE

UNLESS OTHERWISE SPECIFIED TOLERANCE			 SIP		 CHANT SINCERE CO.,LTD		
ANG. ±5°			 Cmk Cpk				
0. ±0.50							
.00 ±0.30 ±0.20							
SCALE: AS SHOWN			UNIT: mm		TITLE: PDR-20032 MINI FAKRA B TYPE JACK TO MINI FAKRA B TYPE JACK_031 CABLE		
DRAWN: PEARL_HUNG			09 Nov 2023				
CHECKED: RITA_CHANG			21 Nov 2023				
APPROVED: RITA_CHANG			21 Nov 2023				
			SIZE A4	SHEET 3/3	REV. C	PART NO. 1424104XXXX	C
						CODE: GC	CUSTOMER:

TITLE: PDR-20032
MINI FAKRA B TYPE JACK TO MINI FAKRA B TYPE
JACK_031 CABLE

PART NO. 1424104XXXX