

PIN OUT		
SIDE A		SIDE B
1	BLUE	4
2	ORANGE	3
3	GREEN	2
4	BROWN	1
SHIELD		SHIELD

SPECIFICATION
MATERIAL AND FINISH:
1. CODING HOUSING: LCP, COLOR SEE PAGE 2

ELECTRICAL CHARACTERISTIC:
1. INSULATION RESISTANCE: 1000MΩ FOR CONNECTOR
2. FINISHED CABLE 100% CONDUCTIVITY TEST

ENVIRONMENTAL : 
1. OPERATING TEMPERATURE RANGE: -40°C TO +85°C



PACKING STYLE:
1. CARTON

LENGTH TOTAL TOLERANCE:
1M > L ±15mm
2M > L ≥ 1M ±30mm
5M > L ≥ 2M ±50mm
10M > L ≥ 5M ±100mm
L ≥ 10M ±150mm

2	CABLE	26AWGx4C+AL+B, OD= 4.6mm, JACKET: TPU, BLACK	A/R
1	CONNECTOR	HSD STRAIGHT JACK, INSULATOR: PBT, SHELL: BRASS/PHOSPHOR BRONZE, CRIMP CONTACT PLATING: 6u" AU	1
ITEM	DESCRIPTION	MATERIAL	Q'TY








B6	G	ECN-2312092(George)ADD. L2=1M2	29DEC2023
	F	ECN-2309021(JOLIN)NEW P/N	22SEP2023
B2, C3	E	ECN-2303057(JOAN)新增60C長度	22MAR2023
ZONE	REVISION	DESCRIPTION	DATE


X=CODING SEE PAGE 2/3

	2	1431101002X	N/A	L2=1200±30mm	
	1	1431101001X	C7S14ZZ3A01E1M0	L1=1000±30mm	
	ITEM	NEW P/N	OLD P/N	L (LENGTH)	NOTE
UNLESS OTHERWISE SPECIFIED TOLERANCE			 SIP  Cmk Cpk	 CHANT SINCERE CO.,LTD	
ANG. ±5°					
0. ±0.50					
.0 ±0.30					
.00 ±0.20					
SCALE: 1.5:1			UNIT: mm		
DRAWN: RITA_CHANG			28 Dec 2023		
CHECKED: PEARL_HUNG			03 Jan 2024		
APPROVED: PEARL_HUNG			03 Jan 2024		
			TITLE: PDR-18071		
SIZE A4			HSD STRAIGHT JACK CABLE		
SHEET 1/3			PART NO. 1431101XXXX		
REV. G			C		
			CODE: U08		
7			CUSTOMER:		
8			9		
10					



RoHS
compliant




A	B	C	D	E	F	Z
JET BLACK SIMILAR RAL 9005	CREAM SIMILAR RAL 9001	SIGNAL BLUE SIMILAR RAL 5005	CLARET VIOLET SIMILAR RAL 4004	LEAF GREEN SIMILAR RAL 6002	NUT BROWN SIMILAR RAL 8011	WATER BLUE SIMILAR RAL 5021
						

UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP		 CHANT SINCERE CO.,LTD	
ANG.	±5°	 Cmk			
0.	±0.50	Cpk			
.0	±0.30				
.00	±0.20				
SCALE: 1:1		UNIT: mm		TITLE: PDR-18071 HSD STRAIGHT JACK CABLE	
DRAWN: RITA_CHANG		28 Dec 2023			
CHECKED: PEARL_HUNG		03 Jan 2024			
APPROVED: PEARL_HUNG		03 Jan 2024		PART NO. 1431101XXXX	
		SIZE A4	SHEET 2/3	REV. G	C
7		8		9	
				10	



	G	ECN-2312092(GEORGE)SEE PAGE 1/3	29DEC2023
	F	ECN-2309021(JOLIN)NEW P/N	22SEP2023
	E	ECN-2303057(JOAN)新增60C長度	22MAR2023
ZONE	REVISION	DESCRIPTION	DATE



ZIP BAG: L204mmxW166mmxT0.05mm
1PC CABLE/ZIP BAG
(夾鏈袋四國環保標誌)




CARTON: L410xW350xH310mm



包裝說明:

- 單PCS成品放入夾鍊袋
- 先在紙箱底部放一層隔板, 再套一個防水袋, 將產品100PCS整齊擺放至紙箱中, 上面放入2PCS乾燥劑, 收攏袋口, 最後其頂層放一層隔板

	G	ECN-2312092(GEORGE)SEE PAGE 1/3	29DEC2023
	F	ECN-2309021(JOLIN)NEW P/N	22SEP2023
	E	ECN-2303057(JOAN)新增60C長度	22MAR2023
ZONE	REVISION	DESCRIPTION	DATE

UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP		 CHANT SINCERE CO.,LTD	
ANG. ±5°		 Cmk			
0. ±0.50		Cpk			
.0 ±0.30					
.00 ±0.20					
SCALE: AS SHOWN		UNIT: mm			
DRAWN: RITA_CHANG		28 Dec 2023		TITLE: PDR-18071	
CHECKED: PEARL_HUNG		03 Jan 2024		HSD STRAIGHT JACK CABLE PACKING	
APPROVED: PEARL_HUNG		03 Jan 2024		PART NO. 1431101XXXX	
 SIZE A4		SHEET 3/3		CODE: U08	
		REV. G		CUSTOMER:	