




SPECIFICATION:
ELECTRICAL CHARACTERISTIC:
1. CHARACTERISTIC IMPEDANCE: 50 Ω
2. FINISHED CABLE 100% CONDUCTIVITY TEST

LABEL FOR CABLE(線材貼紙)
1. FONT: ARIAL
2. WHITE LABEL WITH BLACK TEXT(白底黑字)

ENVIRONMENTAL :
1. OPERATING TEMPERATURE RANGE: -40°C TO +105°C








5	HST	HEAT SHRINK TUBE, ID: 8.0mm, BLACK	1
4	HST	HEAT SHRINK TUBE, ID: 5.0mm, BLACK	4
3	SMA PLUG	TEFLON UL94V-0, 1u" AU	4
2	MINI FAKRA B 2x2 JACK	PBT UL94V-0, 30u" AU	1
1	CABLE	22AWG COAXIAL+AL+MYLAR+BRAID, OD: 3.2mm, JACKET: PVC BLACK	A/R
ITEM	DESCRIPTION	MATERIAL	Q'TY


B7	B	ECN-2310050(VICKY)ADD P/N	19OCT2023
	A	ECN-2308055(JOLIN)X1 CHANGE TO A	24AUG2023
ZONE	REVISION	DESCRIPTION	DATE

2	1424601002Z	N/A	500±15mm	W/O LOGO	
1	1424601001A	C7S8FXX3A01E20C	200±20mm	W/ COXOC LOGO	
ITEM	NEW P/N	OLD P/N	L (LENGTH)	LOGO	NOTE
UNLESS OTHERWISE SPECIFIED TOLERANCE			SIP	 CHANT SINCERE CO.,LTD	
ANG. ±5° 0. ±0.50 0. ±0.30 0.00 ±0.20			ST Cmk Cpk		
SCALE: 1:1			UNIT: mm		
DRAWN: BENSON_ZHENG			20 Oct 2023	TITLE:	
CHECKED: WEIWEI_CHANG			20 Oct 2023	MINI FAKRA BM JACK_031 TO SMA PLUG x4 CABLE	
APPROVED: JASON_HUANG			20 Oct 2023	PART NO.	1424601XXXX
 SIZE A4 SHEET 1/3 REV. B			CODE: GC	CUSTOMER:	

RoHS
compliant




A	B	C	D	E	F	Z
JET BLACK SIM. 9005	PURE WHITE SIM. 9010	LIGHT BLUE SIM. 5012	CLARET VIOLET SIM. 4004	MAY GREEN SIM. 6017	NUT BROWN SIM. 8011	WATER BLUE SIM. 5021
						


UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP		 CHANT SINCERE CO.,LTD	
ANG.	±5°	 Cmk			
0.	±0.50	Cpk			
0.	±0.30				
.00	±0.20				
SCALE: 2:1		UNIT: mm		TITLE: MINI FAKRA BM JACK_031 TO SMA PLUG x4 CABLE	
DRAWN: BENSON_ZHENG		20 Oct 2023			
CHECKED: WEIWEI_CHANG		20 Oct 2023			
APPROVED: JASON_HUANG		20 Oct 2023			
		SIZE A4	SHEET 2/3	REV. B	PART NO. 1424601XXXX
7		8		9	CUSTOMER: 10

	B	ECN-2310050(VICKY)SEE PAGE 1/3	19OCT2023
	A	ECN-2308055(JOLIN)X1 CHANGE TO A	24AUG2023
ZONE	REVISION	DESCRIPTION	DATE



RoHS
compliant




1PC/BAG



240(L)x170(W) ZIP BAG




(AFTER THE INSTALLED PRODUCT, CARTON SEALING TAPE SHOULD BE TRANSPARENT)



(THE PACKING QUANTITY IS BASED ON THE FIRST BATCH OF ACTUAL ORDER)

5	DESICCANT	M9EE330330000300	2g	5 PCS/CARTON
4	WATERPROOF	M90000EZ0000029	28"x25"x0.07mm	1 PC/CARTON
3	CARDBOARD(B3B)	M9BE71163507009	330x330mm	2 PCS/CARTON
2	CARTON	M9CE406330165500	16"x13"x6.5"mm	300 PCS/CARTON
1	ZIP BAG	MQR1000NB10A0810	240(L)x170(W)	1 PC/BAG
ITEM	DESCRIPTION	PART NUMBER	SPECIFICATION	Q'TY

UNLESS OTHERWISE SPECIFIED TOLERANCE				 SIP		 CHANT SINCERE CO.,LTD			
ANG.		±5°		 Cmk Cpk					
0.		±0.50							
.0		±0.30							
.00		±0.20							
SCALE: AS SHOWN				UNIT: mm					
DRAWN: BENSON_ZHENG				20 Oct 2023		TITLE:			
CHECKED: WEIWEI_CHANG				20 Oct 2023		MINI FAKRA BM JACK_031 TO SMA PLUG x4 CABLE			
APPROVED: JASON_HUANG				20 Oct 2023		PART NO. 1424601XXXX			
		SIZE A4	SHEET 3/3	REV. B		CODE: GC		CUSTOMER:	
7				8		9		10	

B		ECN-2310050(VICKY)SEE PAGE 1/3		19OCT2023	
A		ECN-2308055(JOLIN)X1 CHANGE TO A		24AUG2023	
ZONE		REVISION		DATE	
1	2	3	4	5	6