


RoHS
compliant




SPECIFICATION
ELECTRICAL CHARACTERISTIC:


- 1. IMPEDANCE: 85 Ω
- 2. FINISHED CABLE 100% CONDUCTIVITY TEST OR MISWIRE TEST
- 3. CONTACT RESISTANCE: 5 Ω MAX.
- 4. HI-POT TEST: DC 300V/10ms


PACKING :
1. BAG

8	NBT	NYLON BRAIDED TUBE OD:5.0mm BLACK
7	TAPE	BLACK ACETATE CLOTH TAPE W30*50mm
6	SHELL	OCULINK 45P SHELL
5	SHELL	HD MINI SAS 36P SHELL
4	MOLD	PVC BLACK
3	CONNECTOR	OCULINK CONN 30u"+SHELL+LATCH
2	CONNECTOR	HD MINI SAS 36P PCB 85Ω 30u"
1	CABLE	UL20744(1P#32+AL+2D)6P W10.48*H0.72 85Ω, BLUE
ITEM	PART	DESCRIPTION

3	15123010030	N/A	700±50mm	W/O LOGO	
2	15123010020	N/A	500±50mm	W/O LOGO	
1	15123010010	C10Q214A01SE30C	300±30mm	W/O LOGO	
ITEM	NEW P/N	OLD P/N	L (LENGTH)	LOGO	
UNLESS OTHERWISE SPECIFIED TOLERANCE ANG. ±5° 0. ±0.50 0. ±0.30 .00 ±0.20			 SIP  Cmk Cpk	 CHANT SINCERE CO.,LTD	
SCALE: AS SHOW		UNIT: mm			
DRAWN: RITA_CHANG		06 Dec 2024			
CHECKED: PEARL_HUNG		09 Dec 2024			
APPROVED: PEARL_HUNG		09 Dec 2024	PART NO.	1512301XXXX	C
	SIZE A4	SHEET 1/3	REV. B	CODE: GB	CUSTOMER:
7		8		10	





		B	ECN-2411124(KIRA) ADD NEW P/N	05DEC2024
		A	ECN-20A014(WAYNE)	12OCT2020
ZONE	REVISION	DESCRIPTION		DATE




UNLESS OTHERWISE SPECIFIED TOLERANCE		 SIP	 CHANT SINCERE CO.,LTD	
		 Cmk Cpk		
SCALE: AS SHOW		UNIT: mm		TITLE: PDR- OCULINK TO Mini SAS HD CABLE
DRAWN: RITA_CHANG		06 Dec 2024		
CHECKED: PEARL_HUNG		09 Dec 2024		PART NO. 1512301XXXX
APPROVED: PEARL_HUNG		09 Dec 2024		
	SIZE A4	SHEET 2/3	REV. B	C
7		8		9
				10

		ECN-2411124(KIRA) ADD NEW P/N		05DEC2024
B		ECN-20A014(WAYNE)		12OCT2024
ZONE	REVISION	DESCRIPTION		DATE
1	2	3	4	5

RoHS
compliant




(裝好產品後,防水袋需用透明膠紙封口)



- 包裝說明:
- 成品單PC繞成"8字"形,總高不超過180mm。
 - 用紮線帶紮於"8字"中間,並同方向放於夾鏈袋內。
 - 外箱先封好底部,再套上防水袋。
 - 底部先放上1 PC隔板,將裝好的PE 袋平放入箱內。
 - 頂部再放1 PC隔板,防水袋用透明膠布封上,再封上外箱。

7	MQR1000ND10A0350	迷你帶黑色帶鐵芯 PE材質 L:230mm
6	MQR1000NC10A0050	45.7*29.8*22.8cm K=K (正嚟:C/NO印字)
5	MQR1000NC20A0010	隔板 L432*W279mm
4	M9IE00001001009	透明膠紙 (RoHS)
3	M9BE22032000509	PE袋220*320*0.05mm
2	M90000EZ0000029	乾燥劑
1	M9BE55045000809	防水袋(550*450*0.08mm)單層厚
NO.	PART NO.	DESCRIPTION

3	15123010030	C10Q214A01SE70C	5 PCS/BAG		100 PCS/CARTON
2	15123010020	C10Q214A01SE50C	5 PCS/BAG		150 PCS/CARTON
1	15123010010	C10Q214A01SE30C	10 PCS/BAG		200 PCS/CARTON
ITEM	NEW P/N	OLD P/N	Q'TY/BAG		Q'TY /CARTON
UNLESS OTHERWISE SPECIFIED TOLERANCE ANG. ±5° 0. ±0.50 0. ±0.30 .00 ±0.20			 SIP  Cmk Cpk  CHANT SINCERE CO.,LTD		
SCALE: AS SHOW		UNIT: mm		TITLE: PDR- OCULINK TO Mini SAS HD CABLE	
DRAWN: RITA_CHANG		06 Dec 2024			
CHECKED: PEARL_HUNG		09 Dec 2024			
APPROVED: PEARL_HUNG		09 Dec 2024		PART NO. 1512301XXXX	
		REV. B		CUSTOMER:	
SIZE A4		SHEET 3/3		CODE: GB	
7		8		10	

		B		ECN-2411124(KIRA) ADD NEW P/N	05DEC2024
		A		ECN-20A014(WAYNE)	12OCT2020
ZONE	REVISION	DESCRIPTION			DATE