





RoHS
compliant

SPECIFICATION
MATERIAL AND FINISH:
1.MATERIAL: COPPER ALLOY, THICKNESS 0.25mm

ENVIRONMENT:
1. OPERATING TEMPERATURE RANGE: -55°C TO +85°C

PACKING STYLE:
1. TAPE




2				
1	59155040020	902GEA1S00C2N0A0	NI PLATING/SPRING	
ITEM	NEW P/N	OLD P/N	SHELL	NOTE
UNLESS OTHERWISE SPECIFIED TOLERANCE .X ±0.20 .XX ±0.15 .XXX ±0.10			SIP ST Cmk Cpk	 CHANT SINCERE CO.,LTD
SCALE: AS SHOWN			UNIT: mm	
DRAWN: XINGRU_LAI			19 Nov 2024	
CHECKED: PEARL_HUNG			19 Nov 2024	TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN
APPROVED: PEARL_HUNG			19 Nov 2024	
PART NO. 59155040020			CODE: X07	CUSTOMER:
REV. C			SIZE A4 SHEET 1/4	

	C	ECN-2411067(KITA)NEW P/N	18NOV2024
F6	B	ECN-2109046(LITING)修改為LASER RIVETING	22SEP2021
	A	ECN-204008(CAROL) X1 CHANGE TO A	08APR2020
ZONE	REVISION	DESCRIPTION	DATE




UNLESS OTHERWISE SPECIFIED TOLERANCE X ±0.20 XX ±0.15 X ±1° XXX ±0.10 XX ±5°		 SIP  Cmk Cpk		 CHANT SINCERE CO.,LTD	
SCALE: AS SHOWN		UNIT: mm			
DRAWN: XINGRU_LAI		19 Nov 2024			
CHECKED: PEARL_HUNG		19 Nov 2024		TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN	
APPROVED: PEARL_HUNG		19 Nov 2024			
		SIZE A4	SHEET 2/4	REV. C	PART NO. 59155040020
		7	8	9	CODE: X07
					CUSTOMER:
					10




RECOMMENDED BEZEL DESIGN


NOTES:
1. MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY

				UNLESS OTHERWISE SPECIFIED TOLERANCE		SIP		 CHANT SINCERE CO.,LTD	
				.X ±0.20	.X ±1°	 Cmk	Cpk		
				.XX ±0.15	.XX ±5°	UNIT: mm		TITLE:	
				.XXX ±0.10		SCALE: AS SHOWN		SFP+ 1X1 CAGE WITH GROUNDING PIN	
		C	ECN-2411067(KITA)NEW P/N	18NOV2024	DRAWN: XINGRU_LAI	19 Nov 2024		PART NO.	
		B	ECN-2109046(LITING)修改為LASER RIVETING	22SEP2021	CHECKED: PEARL_HUNG	19 Nov 2024		59155040020	
		A	ECN-204008(CAROL) X1 CHANGE TO A	08APR2020	APPROVED: PEARL_HUNG	19 Nov 2024		CODE: X07	
ZONE	REVISION	DESCRIPTION		DATE		SIZE A4	SHEET 3/4	REV. C	CUSTOMER:
1	2	3	4	5	6	7	8	9	10


PACKAGE INFORMATION AND LABLE




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	△B 352 PCS
TRAY	△B 8 PCS
BOX(L340*W265*H200mm)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

UNLESS OTHERWISE SPECIFIED TOLERANCE X ±0.20 X ±1° .XX ±0.15 .XX ±5° .XXX ±0.10		 SIP  Cmk Cpk		 CHANT SINCERE CO.,LTD	
SCALE: AS SHOWN		UNIT: mm			
DRAWN: XINGRU_LAI		19 Nov 2024			TITLE: SFP+ 1X1 CAGE WITH GROUNDING PIN
CHECKED: PEARL_HUNG		19 Nov 2024			
APPROVED: PEARL_HUNG		19 Nov 2024			PART NO. 59155040020
	SIZE A4	SHEET 4/4	REV. C	CODE: X07	CUSTOMER:
7		8		9	10

	C	ECN-2411067(KITA)NEW P/N	18NOV2024
4C	B	ECN-2109046(LITING)修改為LASER RIVETING	22SEP2021
	A	ECN-204008(CAROL) X1 CHANGE TO A	08APR2020
ZONE	REVISION	DESCRIPTION	DATE