




11	DUST CAP FOR SFF-8644, PE, NATURAL	2
10	LATCH FOR SFF-8644, S304	2
9	EMI SHRAPNEL FOR SFF-8644, S301	2
8	PULL_TAB FOR SFF-8644, BLUE	2
7	HOST SHRINK TUBING,?7.9MM,EVA,BLACK	R/A
6	INNER MOLDING FOR SFF-8644, 6208	2
5	TOP SHELL FOR EXT HD4X, ZINC ALLOY,	2
4	BACK SHELL FOR EXT HD4X, ZINC ALLOY,	2
3	EXT.HD 4X PCB C/D BOARD, Au 30u"WITH IC	2
2	EXT.HD 4X PCB A/B BOARD, Au 30u"	2
1	EXTERNAL HD4X PVC CABLE, 28AWG BLACK	R/A
ITEM	DESCRIPTION	Q'TY

A									DRAWN Randy. L		07/04/2020	Title: MiniSAS HD 4i EXTERNAL CABLE _L3500 mm		1/3	A				
									CHECKED Stewart. S		07/04/2020								
		X1	INITIAL DESIGN					07/04/2020	APPROVED			Part NO.							
	Zone	Revision	DESCRIPTION					DATE		SIZE A4	REV. X1	Code:	Customer:						
1		2		3		4		5		6		7		8		9		10	

NOTES:

1.100% OPEN,SHORT&INTERMITANCE TEST.

1-1.EXT MINI SAS HD CONDUCTOR RESISTANCE: 3 ohm Max.

1-2.INSULATION RESISTANCE: 10M OHMS MIN/300V DC/10MS

2.HIGH-FREQUENCY TESTING IN LINE WITH THE SAS 3.0(HD)/HSIO SI STD

3.SI SHALL BE TESTED IN 100%, EEPROM WITH UNLOCK REQUIRED 100% CHECK.

4.ALL MATERIALS MUST COMPLY WITH RoHS2.0.

5.LABEL DETAIL:

5-1. DD/MM/YY

DD=DATE OF MONTH

MM=MONTH OF YEAR

YY=LAST 2 DIGITS OF THE YEAR

UNLESS OTHERWISE SPECIFIED TOLERANCE

ANG.	±1°
.0	±0.30
.00	±0.20
.000	±0.10

SCALE: AS SHOWN

UNIT: mm

DRAWN Randy. L

07/04/2020

CHECKED Stewart. S

07/04/2020

APPROVED

SIZE A4

REV. X1

Code:

Customer:

CHANT SINCERE CO.,LTD

TEL:886-02-86471251 FAX:886-02-86472962

Title:

MiniSAS HD 4i EXTERNAL CABLE

±L3500 mm

1/3

